Versatile, full-featured multifunction printer delivering superb performance and value.

Dell™ B1265dfw Mono Laser Multifunction Printer

The feature packed Dell B1265dfw multifunction printer with duplexer offers 4-in-1 versatility, wireless connectivity[1] and performance features – all from one affordable device. Get outstanding value with a low cost-per-page and included Nuance™ PaperPort 14 software for easy document management. Simplify tasks with the automatic document feeder, ID Copy feature and more. For added convenience, this printer supports direct printing from most mobile devices[2] – so there's no need to transfer files from your phone or tablet to your PC to print.

Designed for reliable performance and value, the Dell B1265dfw is an excellent addition to your office.

For more information on our products, visit **dell.co.uk/printers**

1. PC must have a wireless card or be connected to a wireless network and have the printer software installed for proper function.
2. Supports Dell Mobile Print (Android OS), AirPrint™ (iOS) and Google Cloud Print™.

The power to do more

Dell B1265dfw

Mono Laser Multifunction Printer

Get outstanding value with efficient features

- Print, scan, copy and fax from one affordable, easy-to-use wireless multifunction printer[1]. WiFi installation is simple and hassle-free with Dell Printer Easy WiFi installer.
- Boost productivity and manage documents easily with Nuance™ PaperPort 14 (included). PaperPort 14 enhances the capabilities of the Dell B1265dfw by transforming paper documents into high-quality, searchable PDF files for easy archiving, organising and sharing. PaperPort 14 even places all PDF files on your desktop in clearly marked, colour-coded folders so information is always at your fingertips.
- Perform efficiently with fast print speeds of up to 28 pages per minute (ppm) (A4)[2].
- Minimise effort and save up to 50% of paper use with automatic two-sided printing.
- Tackle multi-page documents easily with the Automatic Document Feeder (ADF) - scan, copy or fax up to 40 sheets handsfree.
- With a touch of the ID copy button on the control panel, you can copy both sides of an ID card onto a single side of paper. Additional copy features include clone copy (printing multiple image copies of the original source onto a single page), poster copy and N-up copy (copying 2 or 4 pages to one side of paper).
- Protect confidential faxes with PIN access, or save paper by using the fax forward function to send faxes directly to your computer.

Convenient printing, direct from mobile devices

- Print documents, web content, photos and more, directly from a variety of mobile devices, such as smartphones and tablets, with:
  - Dell Mobile Print app for Android™ mobile devices[3]
  - AirPrint™ for iOS mobile devices[4]
- This printer works with Google Cloud Print™, so you can print on the go from your smartphone or computer using Google Cloud Print enabled apps.

Reliable performer, environmentally-conscious design

- Get the performance your business needs with a high duty cycle of up to 20,000 pages per month[5].
- Minimise upkeep and simplify maintenance with just one toner cartridge to replace. This fuser unit is designed to last the life of the printer.
- The Eco-mode button conserves resources by automatically engaging two-sided printing and reduces toner usage by printing in draft mode. Designed with the environment in mind, this printer is RoHS compliant[6] and ENERGY STAR® qualified[7].

Share your printer on a small network with **built-in Ethernet** and **WiFi** connectivity.

Scan, archive, organise and share searchable PDF files with bundled **Nuance PaperPort 14** software.

Print directly from select mobile devices with **Dell Mobile Print, AirPrint** and **Google Cloud Print.**

Tilt the control panel to easily access printer functions.

Dell Printer Easy WiFi Installer

Wireless installation made easy. Enjoy quick and intuitive set up — in 4 clicks!



Insert CD to install Printer Driver and Software. Select 'Setup'. (Driver also available on dell.com/support/printers)

Select 'Wireless' as the Connection Method.

Personalise your printer's identity on the network if required, and click 'Next'.

Click 'Finish'. Your printer is ready to print.

Scan this QR code with your phone to view the Dell Printer Easy WiFi Installer video.

1. PC must have a wireless card or be connected to a wireless network and have the printer software installed for proper function.
2. Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use.
3. The printer and the mobile device must be connected to the same wireless network.
4. AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
5. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
6. Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003.
7. For details on energy efficiency of ENERGY STAR qualified products, refer to: www.energystar.gov

Dell B1265dfw

Mono Laser Multifunction Printer

1. Automatic Document Feeder (up to 40 sheets)
2. Flatbed scanner
3. Tilt-enabled control panel
4. 150-sheet output tray
5. Ethernet port (rear of printer)
6. 250-sheet input tray + 1-sheet multipurpose tray

Consumables

Ship-with toner cartridge capacity[1]
1,000 pages

Standard capacity toner cartridge[1]
1,500 pages

High capacity toner cartridge[1]
2,500 pages

Toner recycling
Free and environmentally responsible toner recycling solutions for all private and business needs. For more information, visit **dell.com/recycle**.

Warranty and service options

Standard service
1-Year Limited Hardware Warranty[2] with Advanced Exchange On-site Service after Remote Diagnosis[3]

Service upgrade options

- 2, 3, 4, 5-year extended Advanced Exchange On-site Service after Remote Diagnosis[3]
- Upgrades available to 1, 2, 3, 4 and 5-year Dell ProSupport™
- Optional installation service available

Physical specifications

Dimensions (W x D x H)	Printer: 406 mm x 338 mm x 384 mm; Shipping: 496 mm x 428 mm x 462 mm
Weight	Printer: 11.1 kg (with consumables); Shipping: 13.5 kg
Operating environment	Temperature: 10°C to 32°C; Relative Humidity: 20% to 80% RH, Non-Condensing; Altitude: ≤ 8,200 ft (2,500 m)
Storage	Packaged: Temperature: -20°C to 40°C; Relative Humidity: 20 to 95% RH; Altitude: ≤ 34,000 ft (10,300 m)
Acoustics	Printing (simplex mode): < 50 dBA[4]; Standby mode: < 26 dBA[4]

Power specifications

Voltage	
230 vac models	220 to 240 VAC, 50 Hz / 60 Hz nominal
Power consumption	Standby mode: ≤ 50 W/h; Power Saver/Sleep mode: ≤ 3.0 W/h
Environmental compliance	ROHS Compliant[5]; ENERGY STAR qualified[6]; WEEE; ErP Lot 4; ErP Lot 6 Tier 2; REACH; MEL (Mexico)

Supported languages

English, French, German, Italian, Spanish, Danish, Norwegian, Dutch and Swedish

Product certifications

Safety certifications	EN 60950-1/IEC 60950-1, EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; CE Mark (EU), R&TTE Directive (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada), US CFR Title 47, FCC Part 2 and 15 Class B; FDA/DHHS (21CFR, Chapter 1, Subchapter J) ; NOM (Mexico); SABS/ICASA (South Africa)
Other certifications	WHQL (Windows® 8, Windows 7, Windows 2003, Windows Vista®)

1. Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.
2. For a copy of Limited Hardware Warranty, write Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK or see dell.com/warranty. For warranty information for other countries, see website: dell.com/servicecontracts and then select the country.
3. Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.
4. Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics - Declared noise emission values of computer and business equipment
5. Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003.
6. For details on energy efficiency of ENERGY STAR® qualified products, refer to: www.energystar.gov

Product Specifications

Dell B1265dfw
Print, Scan, Copy, Fax

Printer specifications	**Print speed**	Up to 28 ppm[1] (A4) (actual print speed will vary with use)
	First page out time from Ready state	Less than 8.5 seconds
	Print resolution	600 x 600 dpi (up to 1200 dpi Image Quality)
	User interface	LCD: 16 characters x 2 lines
	Printer language	SPL, PCL6, Host based XPS
	Fonts	HP PCL® 6 Emulation: 93 scalable, 1 bitmap fonts
	Processor speed/memory (RAM)	533 MHz / 128 MB[2]
	Memory expansion	Not available
	Maximum duty cycle	20,000 pages per month[3]
	Recommended monthly print volume	300 - 1,000 pages
Mobile printing		Dell Mobile Print (Android™ OS mobile devices); AirPrint™ (iOS mobile devices), Google Cloud Print™
Printer management		Dell Printer Manager, Dell Supplies Ordering Utility, Scan Assistant
Scan specifications	**Scan resolution**	Optical: 1200 x 1200 dpi (Color - Platen), 600 x 600 dpi (B/W - Platen); 600 x 600 dpi (Color, B/W - ADF); Enhanced: 4800 x 4800 dpi
	Scan utilities/applications	Nuance™ PaperPort v14
	Scanning features	Pull Scan, Scan to PC
	Scan to media (file format)	JPEG, Tiff, BMP, PDF, PNG
	Scan size (max)	Flatbed: 208 mm x 297 mm; ADF: 208 mm x 356 mm
Copy specifications	**Copy speed**	
	Single-page document	28 copies per minute (cpm)
	Multi-page document (ADF)	20 cpm (A4)
	Copy mode	Photo (600 x 600 dpi), Photo and Text (600 x 300 dpi), Text (600 x 300 dpi)
	Maximum copies	99
	Reduce/enlarge	25% to 400%
	Copy features	Cloning (Platen only), N-up (2 and 4), Autofit, Collate (ADF only), Poster (Platen only), ID Copy (Platen only), Contrast, Background removal
	Other features	Secure fax receive, block junk fax, distinctive ring tone, PC fax send, speed dial
Fax specifications	**Modem speed/Fax transmission speed**	Up to 33.6 Kbps
	Speed dial	Up to 200 locations
	Memory size	8 MB[2]
	Fax features	Broadcast, Delay/Schedule, Priority, Secure, Forward
ADF	**ADF type**	Simplex
	Input/output capacity	Up to 40 sheets (20 lb, 80 g/m^2)
	Media size	Width: 142 mm to 216 mm; Length: 148 mm to 356 mm
Connectivity	**Interfaces**	High Speed USB 2.0, Ethernet 10/100 Base TX
	Wireless	Wireless 802.11 b/g/n
Operating systems	**Windows**	Microsoft® Windows® 7 (32/64 bit), Windows 2000, Windows XP (32/64 bit), Windows Vista (32/64 bit), Windows 2003 Server (32/64 bit), Windows 2008 Server (32/64 bit), Windows 2008R2 (64 bit), Windows 8 (32/64 bit)
	Macintosh	Macintosh OS®: 10.5 to 10.8
	Others	Various Linux including Red Hat® enterprise Linux WS, Fedora™, Open SUSE™, Mandriva, Ubuntu, SuSE™, Debian; Novell® NetWare® 5.x, 6.x and later; Various UNIX® including HP-UX, Sun Solaris, IBM® AIX; SAP R/3 4.5B or later; Citrix® XenApp 4.5 - 6.5 support
Paper handling	**Standard input sources**	250 sheet tray
	Maximum input capacity	251 sheet
	Duplexer	Automatic
	Standard output destination	150 sheet bin
	Maximum output capacity	151 sheet
Supported media types and sizes	**Standard tray**	
	Media types supported	Plain, Thin, Thick, Bond, Cardstock, Recycled, Archive
	Media sizes	A4, Letter, Legal, Executive, Folio, Oficio, ISO B5, JIS B5, A5, A6
	1-sheet multipurpose tray	
	Media types supported	Plain, Thin, Thick, Bond, Cardstock, Cotton, Coloured, Pre-Printed, Recycled, Archive, Transparency, Label, Envelope
	Media sizes	A4, Letter, Legal, Executive, Folio, Oficio, ISO B5, JIS B5, A5, A6, Monarch, No.10, DL, C5, Postcard 4x6
	Page layout options	Portrait or Landscape Orientation, Multiple Copies, Multipage Printing (N-up), Poster, Booklet Printing, Watermarks, Collate, Overlay, Print Last Page First, Rotation
Contents in box		Dell B1265dfw Printer, Software and Documentation CD (Printer driver and software), Dell B1265dfw ship-with Black toner cartridge (1000 page yield)[4], Power cord, USB cable, RJ11 cable, Placemat, Important Information Booklet, Retail Warranty Tech Sheet

1. Measured in accordance with ISO IEC 27434/35 methodology. Speed may vary depending upon system configuration, software application and document complexity.
2. 1 MB means 1 million bytes; total accessible capacity varies depending on operating environment.
3. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
4. Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

© 2013 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc.

Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK. Product availability varies by country. Please contact your Dell representative for more information.

Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.